

OPEN BARREL TERMINALS (FEMALE & MALE) 連續端子

LB : LOOSE PIECE, STANDARD CHEMICAL TREATMENT (BRASS FINISH) 單顆未電鍍

LT : LOOSE PIECE, TIN PLATED 單顆鍍錫

SB : STRIP FORM, STANDARD CHEMICAL TREATMENT (BRASS FINISH) 整卷未電鍍

ST : STRIP FORM, TIN PLATED 整卷鍍錫

TERMINAL MATERIAL: BRASS 端子材質：紅銅

ITEM NO.	MATCHING inch (mm)	DIMENSION								CRIMPING TOOL	FIGURE	Q'TY ROLL	AWG
		W		F		L		D					
		inch	mm	inch	mm	inch	mm	inch	mm				
36019LB		0.283	7.2	0.374	9.5	0.61	15.5	0.141	φ3.6	CIRMAKER crimping tool Item No: HT301C with DIE INDEX No:16-14		8000	18-20
36020LB		0.3283	7.24	0.374	9.5	0.61	15.5	0.169	φ4.3			8000	18-20
36041LB	φ4.0	0.157	3.95	0.331	8.4	0.701	17.8					7000	16-20
36042LB	φ4.0	0.156	3.5	0.264	6.7	0.69	18.5					7000	16-20
36043LB	φ3.5	0.138	3.5	0.331	8.4	0.646	16.4					7000	16-20
36044LB	φ3.5	0.138	3.5	0.264	6.7	0.681	17.3					7000	16-20
36052LB		0.149	3.8	0.255	6.5	0.614	15.6					10000	18-20

OPEN BARREL TERMINALS (FEMALE & MALE) 連續端子









LB: LOOSE PIECE, STANDARD CHEMICAL TREATMENT (BRASS FINISH) 單顆未電鍍

LT: LOOSE PIECE, TIN PLATED 單顆鍍錫

SB: STRIP FORM, STANDARD CHEMICAL TREATMENT (BRASS FINISH) 整卷未電鍍

ST: STRIP FORM, TIN PLATED 整卷鍍錫

TERMINAL MATERIAL: BRASS 端子材質：紅銅

ITEM NO.	MATCHING inch (mm)	DIMENSION						CRIMPING TOOL	FIGURE	Q'TY/ROLL	AWG
		W		F		L					
		inch	mm	inch	mm	inch	mm				
36053LB	0.020x0.110 (0.5x2.8)	0.126	3.2	0.252	6.4	0.630	16.0	CIRMAKER crimping tool Item No: HT301C with DIE INDEX No:16-14		1000	20-22
36054LB	0.020x0.110 (0.5x2.8)	0.126	3.2	0.252	6.4	0.630	16.0			1000	18-20
36057LB	0.020x0.187 (0.5x4.8)	0.197	5.0	0.256	6.5	0.610	15.5			1000	16-20
36058LB	0.020x0.205 (0.5x5.2)	0.228	5.8	0.248	6.3	0.618	15.7			1000	20-22
36063LB	0.032x0.250 (0.8x6.4)	0.260	6.6	0.295	7.5	0.748	19.0			6000	16-20
36064LB	0.032x0.250 (0.8x6.4)	0.256	6.5	0.291	7.4	0.748	19.0			6000	16-20
36066LT	0.032x0.250 (0.8x6.4)	0.260	6.5	0.295	7.5	0.728	18.5			2000	18-20
36067LB	0.020x0.110 (0.5x2.8)	0.110	2.8	0.472	12.0	0.827	21.0			1000	18-20

OPEN BARREL TERMINALS (FEMALE & MALE) 連續端子

LB : LOOSE PIECE, STANDARD CHEMICAL TREATMENT (BRASS FINISH) 單顆未電鍍

LT : LOOSE PIECE, TIN PLATED 單顆鍍錫

SB : STRIP FORM, STANDARD CHEMICAL TREATMENT (BRASS FINISH) 整卷未電鍍

ST : STRIP FORM, TIN PLATED 整卷鍍錫

TERMINAL MATERIAL: BRASS 端子材質：紅銅

ITEM NO.	MATCHING inch (mm)	DIMENSION								CRIMPING TOOL	FIGURE	Q'TY ROLL	AWG
		W		F		L		D					
		inch	mm	inch	mm	inch	mm	inch	mm				
36070LB		0.110	2.8	0.295	7.5	0.669	17					10000	18-20
36071LB	0.032x0.250 (0.8x6.4)	0.244	6.2	0.551	14.0	0.967	24.6					5000	16-20
36072LB		0.289	7.35	0.307	7.8	0.755	19.2					5000	16-20
36074LB		0.192	4.9	0.259	6.6	0.677	17.2					10000	18-20
36155LB	0.032x0.250 (0.8x6.4)	0.248	6.3	0.295	7.5	0.787	20.0			CIRMAKER crimping to oil Item No: HT301C with DIE INDEX No:16-14		5000	16-20
36176LB		0.393	10	0.492	12.5	0.826	21	0.251	φ6.4			5000	16-20
36246LB	0.032x0.250 (0.8x6.4)	0.268	6.8	0.291	7.4	0.748	19.0					5000	16-20
36253LB		0.25	6.35	0.255	6.5	0.688	17.5					3000	16-20