



成都亿佰特电子科技有限公司
Chengdu Ebyte Electronic Technology Co.,Ltd.

TX4G-JK-20 User Manual v1.0

Product



Physical parameter

No.	Parameter item	Parameter details & Description
1	Model	TX4G-JK-20
2	Size	195 mm * φ 13 mm
3	Average Weight	23.8 ± 2 g
4	Shape Feature	Bendable
5	Connector Type	SMA-J
6	Cable Length	—

Electrical parameter


NO.	Parameter item	Parameter details & Description
1	Frequency Range	700M/800M/900M/1.8G/1.9G/2G/2.3G/2.6G/2.7GHz
2	Gain	3 dBi
3	SWR	≤ 2.0
4	Power Capacity	10 W
5	Input Impedance	50 Ω
6	Polarization Type	Vertical polarization
7	Radiation Direction	Omnidirectional

Test report

【Testing Instrument】 : Angilent E5071C

【Test address】 : Chengdu Ebyte Electronic Technology Co.,Ltd.

【Current Temperature】 : 26°C



About us

Technical support: support@cdebyte.com

Documents and RF Setting download link: www.ebyte.com

Thank you for using Ebyte products! Please contact us with any questions or suggestions: info@cdebyte.com

Fax: 028-64146160 ext. 821

Web: www.ebyte.com

Address: Innovation Center D347, 4# XI-XIN Road, Chengdu, Sichuan, China

